


# K12 DESIGNED FOR PERFORMANCE

ADVANCED ACTIVE LOUDSPEAKER



  
PRECISION DRIVE


# LIGHTWEIGHT YET LOUD AND CLEAR

ONLY 13.5KG  
125DB MAX SPL



PRECISION DRIVE


# LIGHTWEIGHT PLYWOOD WITH POLYUREA



PRECISION DRIVE

# USER FRIENDLY DUE TO SOPHISTICATED DESIGN

SYSTEM OPTIMIZATION VIA DUAL DSP  
PROCESSORS FOR DRC, REVERBRATION,  
FEEDBACK SUPPRESSION,  
CROSSOVER, EQ ETC.



PRECISION DRIVE

DSP FOR DISTORTION  
FREE SOUND EVEN AT  
MAXIMUM OUTPUT



PRECISION DRIVE

# SUPERB ACOUSTIC DESIGN



LIGHTWEIGHT TRANSDUCER DESIGN  
ACHIEVE HIGH SPL



PRECISION DRIVE

# COMPRESSION DRIVER

LIGHTWEIGHT COMPRESSION DRIVER  
WITH HIGH SPL & VERY LOW DISTORTION



PRECISION DRIVE

# COVERAGE

90 X 60 DEGREE EVEN SOUND COVERAGE




# TWO K125 LINK TOGETHER

LINK TWO K125 BY 2 XLR CABLES FOR STEREO AND 6 CHANNEL INPUTS




TWO K105 CAN BE CONNECTED WITH 1 XLR CABLE TO ACHIEVE STEREO OUTPUT, OR 2 XLR CABLES TO ALLOW 6 INPUTS CHANNELS



PRECISION DRIVE

# BLE REMOTE

BLE REMOTE FOR USB AUDIO PLAY  
BACK CONTROL




10 METER




PRECISION DRIVE

## INTERNET LIVE STREAMING



## USB AUDIO PLAYBACK



PRECISION DRIVE

# INTERNET CONFERENCE


TO SIMPLY CONNET SMARTPHONE VIA OTG  
PORT OR LIVE PORT FOR INTERNET  
CONFERENCE AND SOUND REINFORCEMENT




PRECISION DRIVE

# 20 HOURS PLAY TIME

BUILT IN BMS-BATTERY MANAGEMENT SYSTEM  
NO MORE LOW-BATTERY ANXIETY  
LONG BATTERY CYCLE TIME



PRECISION DRIVE







MODEL: K12			
Frequency range(-3dB):	40Hz-20Khz	Max SPL:	125dB
System design:	12" two way vented	HF:	36mm precision compression driver
Coverage(HxV):	90° x 60°	Battery Spec:	Capacity: 200WH Voltage: 18.5V
Amplification:	350W Class D	<b>Fuction&amp;effects:</b> EQ controls for two Combo inputs Effect control for each channel Bluetooth Feed back supression Reverb/Reverb+Echo Mono/Stereo output selection Battery-level indicator USB Audio/OTG live streaming BLE Remote control	
Battery Life:	4-10h		
Crossover:	DSP		
Input/output:	XLR/TRS combo input x3 XLR output x1 Bluetooth x1 3.5mm headphone Jack USB Power supply Jack @1A 3.5mm LIVE out/input for smart phone		
		Finish:	Black Polyurea
Net Weight:	13.5Kg	Dimension:	W380xD395xH612
Gross Weight:	16Kg	Package Dimension:	W465xD450xH680



PRECISION DRIVE

# PHYSICAL



**NET WEIGHT:13.5kg**

**GROSS WEIGHT:16kg**



PRECISION DRIVE